

Product Catalogue

Your complete quality fencing provider.




The Vantage Difference

Operating in Melbourne since 2015, Vantage (Aust) is a manufacturer of a wide range of pre-fabricated fencing panels and continues to provide high quality competitive prices. Specialising in industrial, commercial, and pool fencing, Vantage (Aust) prides itself on providing N.A.T.A accredited fencing, tailored to the Australian market.

We are Australia's most competitive steel fencing provider, with all of our products made in our state of the art manufacturing plant. We roll, weld, punch, chemical pre-treat, and powder coat in our own factory. For this reason, we are able to maintain a high level of quality control at every step of the manufacturing process. With over 15 years manufacturing experience, we are able to efficiently produce high calibre fencing materials without compromising quality.

Quality products and customer service are our focus. Vantage (Aust) prides itself on being able to cater for all projects, be it small gates in the retail sector or multi-storey complexes for developers and builders. With our 'right first time' attitude, you can be sure that our attention to detail will mean you get the correct order every time, without fail.

If you're thinking best prices and quality, think Vantage.




Industrial Fencing

Vantage's spear picket fencing combines stylish design with security. It can be used in a variety of locations including schools, parks, and industrial estates.

These panels are manufactured using high quality galvanised steel and are chemically pre-treated before being powder coated. Our 5 stage chemical pre-treating process provides greater rust resistance and primes the steel for powder-coating so it lasts longer without flaking or fading.

You can be sure that this is a long-term investment, proving aesthetically pleasing security for years to come.


Non-standard panels can be ordered with a 6 week lead in time.



Spear Top Security Fence

Code	Description	Size	Qty/B
PASM1800	Spear Top Security (Medium)	1800 H x 2400 W Rails: 40x40x1.6 Pickets: 25x25x1.2	29 or 35
PASM2100	Spear Top Security (Medium)	2100 H x 2400 W Rails: 40x40x1.6 Pickets: 25x25x1.2	29 or 35
PASM2400	Spear Top Security (Medium)	2400 H x 2300 W Rails: 40x40x1.6 Pickets: 25x25x1.2	29 or 35
PASL2100	Spear Top Security (Light)	2100 H x 2400 W Rails: 40x40x1.4 Pickets: 25x25x1.0	29 or 35

Pre-fabricate double and single gates also available to suit your spear top security fence.



Rod Top Security Fence


Code	Description	Size	Qty/B
PARM1800	Rod Top Security (Medium)	1800 H x 2400 W Rails: 40x40x1.6 Pickets: 25x25x1.2	29 or 35
PARM2100	Rod Top Security (Medium)	2100 H x 2400 W Rails: 40x40x1.6 Pickets: 25x25x1.2	29 or 35



U-Post


Code	Description	Size	Qty/B
U-Post2800	Sliding Gate U-Post 200mm Gap	2800 H x 400 W 100x100x2.0mm Frame	5
U-Post3200	Sliding Gate U-Post 200mm Gap	3200 H x 400 W 100x100x2.0mm Frame	5

Steel Pool Fencing



Flat Top Panel

Code	Description	Size	Qty/B
PAF19R-1200B	Flat Top Panel (19R Upright)	1200 H x 2400 W Rails: 25x38x1.6 Pickets: 19Rx1.2	74
PAF19R-1500B	Flat Top Panel (19R Upright)	1500 H x 2400 W Rails: 25x38x1.6 Pickets: 19Rx1.2	74
PAF19R-1800B	Flat Top Panel (19R Upright)	1800 H x 2400 W Rails: 25x38x1.6 Pickets: 19Rx1.2	64



Flat Top Gate

Code	Description	Size	Qty/B
PAG19R-1200B	Flat Top Gate (19R Upright)	1200 H x 950 W Rails: 25x38x1.6 Pickets: 19Rx1.2	/
PAG19R-1500B	Flat Top Gate (19R Upright)	1500 H x 950 W Rails: 25x38x1.6 Pickets: 19Rx1.2	/
PAG19R-1800B	Flat Top Gate (19R Upright)	1800 H x 950 W Rails: 25x38x1.6 Pickets: 19Rx1.2	/

All pool panels have been N.A.T.A tested to comply with pool fencing regulations AS1926.1 - 2012.

Powder Coated Posts

Code	Size	Length (mm)	Weight (kg)	Qty/B
SP50L1820B	50x50x1.6	1820	4.19	70
SP50L2100B	50x50x1.6	2100	4.84	70
SP50L2100M	50x05x1.6	2100	4.84	70
SP50L2400B	50x50x1.6	2400	5.53	70
SP65L2400B	65x65x1.6	2400	7.7	48
SP65L2700B	65x65x1.6	2700	8.7	48
SP65L2700M	65x65x1.6	2700	8.7	48
SP65M2400B	65x65x2.0	2400	9.6	48
SP65M2700B	65x65x2.0	2700	10.8	48
SP65M3000B	65x65x2.0	3000	12.0	48
SP75M2500B	75x75x2.0	2500	11.55	35
SP75M2900B	75x75x2.0	2900	13.38	35
SP75M2900M	75x75x2.0	2900	13.38	35
SP75M3200B	75x75x2.0	3200	14.76	35
SP75H2900B	75x75x2.5	2900	16.64	35
SP100M2500B	100x100x2.0	2500	15.46	20
SP100M2900B	100x100x2.0	2900	17.9	20
SP100M3200B	100x100x2.0	3200	19.8	20
SP100H2900B	100x100x2.5	2900	22.33	20
SP100EH3200B	100x100x3.0	3200	29.45	20

1. B = Satin Black
2. M = Monument

Powder Coated Round Fence Posts

Code	Nominal Size (NB)(mm)	Outside Dia. (OD)(mm)	Wall Thick. (mm)	Gauge	Weight (kg)	Length (mm)	Qty/B
NB32EL6500B	32	42.4	2	EL	12.95	6500	35
NB40EL2500B	40	48.3	2.3	EL	6.52	2500	35
NB40EL2900B	40	48.3	2.3	EL	7.57	2900	35
NB40L2500B	40	48.3	2.9	L	8.12	2500	35
NB40L2900B	40	48.3	2.9	L	9.42	2900	35
NB50EL3250B	50	60.3	2.5	EL	11.53	3250	28
NB50L3250B	50	60.3	2.9	L	13.34	3250	28

1. All 40NB2900 and 50NB3250 posts are crimped and capped.
2. All posts are powder coated in satin black.
3. All fence posts are capped.
4. All 32NB is swaged.

Chain Mesh With Fittings

Code	Description	Qty/B
CM1800KB25B10	1800mm H x 10m Chainmesh Knuckle/ Barb 2.5mm wire PVC Black	13
X3240B	Fixed Cross - 32NB Butt x 40NB Thru. Black	65
T4032B	Fixed Tee Galvanised 40NB Thru x 32NB Butt Packaged. Black	100
AC3240B	Universal Rail Claim 32NB Butt x 40NB Post Bolt and Nuts Included. Black	165



Galvanised SHS/ RHS

Code	Description	Size	Length (mm)	Weight (kg)	Qty/B
LG19R8	Circular 19mm	19Rx1.2	8000	4.21	37
LG1919128	Square	19x19x1.2	8000	5.45	49
LG2525128	Square	25x25x1.2	8000	7.26	36
LG3030168	Square	30x30x1.6	8000	10.86	16
LG4040168	Square	40x40x1.6	8000	15.58	20
LG4040208	Square	40x40x2.0	8000	18.47	36
LG5050168	Square	50x50x1.6	8000	19.6	16
LG5050208	Square	50x50x2.0	8000	23.44	64
LG6565168	Square	65x65x1.6	8000	25.64	9
LG6565208	Square	65x65x2.0	8000	31.05	42
LG7575208	Square	75x75x2.0	8000	36.91	9
LG100100208	Square	100x100x2.0	8000	49.47	4
LG100100308	Square	100x100x3.0	8000	73.7	20
LG2538168	Rectangle	25x38x1.6	8000	12.16	25
LG5010127320	Rectangle	50x10x1.2	7320	7.37	45
LG6516125500	Rectangle	65x16x1.2	5500	8.2	30
LG8040168	Rectangle	80x40x1.6	8000	20.72	8
LG10050168	Rectangle	100x50x1.6	8000	26	8
LG10050208	Rectangle	100x50x2.0	8000	37	8
LG15050208	Rectangle	150x50x2.0	8000	48.5	12

Short Galvanised SHS/ RHS

Code	Description	Size	Length (mm)	Qty/B
SG50L1820	Square	50x50x1.6	1820	88
SG50L2400	Square	50x50x1.6	2400	88
SG65L2400	Square	65x65x1.6	2400	48

Angle Iron

Code	Description	Size	Length (mm)	Weight (kg)	Qty/B
GA3030256	Folding Angle	30x30x2.5	6000	6.2	/
GA4040256	Folding Angle	40x40x2.5	6000	8.61	/
GA5050256	Folding Angle	50x50x2.5	6000	10.76	/

Pressed Spears

Code	Size	Length (mm)	Weight (kg)	Qty/B
PS1800	25x25x1.2	1800	1.65	300
PS2100	25x25x1.2	2100	1.91	300
PS2400	25x25x1.2	2400	2.18	300

Long Punched Rails

Code	Size	Length (mm)	Weight (kg)	Centres	Punched Size	Qty/B
LPR102D/S	25x38x1.6	8000	12.16	110	19R	25
LPR103D/S	25x38x1.6	8000	12.16	120	19X19	25
LPR105D/S	40x40x1.6	8000	15.58	140	26.4	20
LPR106D/S	40x40x1.6	8000	15.58	110	19R	20
LPR118D/S	40x40x1.6	8000	15.58	100	50x10	20
LPR120D/S	40x40x1.6	8000	15.58	59	50x10	20
LPR107D	50x50x1.6	8000	19.6	140	26.4	16
LPR119D/S	50x50x1.6	8000	19.6	110	19R	20
LPR116D/S	50x50x1.6	8000	19.6	73	65X16	16
LPR109D	65x65x2	8000	31.88	140	26.4	9
LPR110D	75x75x2	8000	36.91	140	25.7	9
LPR115D	75x75x3	8000	54.77	140	25.7	9
LPR112D/S	100x100x2	8000	49.47	140	25.7	4
LPR114D/S	100x100x3	8000	73.7	140	25.7	4

*D = Double, S = Single.



Components

Image	Code	Description	Image	Code	Description
	ABS25x38A ABS25x38B	Aluminium Single Sided Bracket with 2 Holes. Opening to suit 25x38. Also available in powder coated black.		DLS	D Latch & Striker - Zinc
	GBS25x38G GBS25x38B	Gal Steel Single Sided Bracket with 2 Holes. Opening to suit 25x38. Also available in powder coated black.		GS04	Gate Stopper and Base 110H
	GBD25x38G GBD25x38B	Gal Steel Double Sided Bracket with 2 Diagonal holes. Opening to suit 25x38. Also available in powder coated black.		GH51AR GH51AL	Weld/ Bolt Hinge (Left or Right)
	BR40B65 BR40B75	Full RHS wrap type 40x40 Security Bracket to 65x65 or 75x75 post.		GH52AR GH52AL	Bolt/ Bolt Hinge (Left or Right)
	GC50 GC65 GC75 GC100	Steel Cap Knock On		CT119	Heavy Duty Ball Bearing Flag Hinge
	GPC50 GPC65 GPC75 GPC100	Powder Coated Steel Cap Knock On		RN40x60 RN40x100 RN40x120 RN40x150	Buffer Roller
	GSF130X65X8 GSF100X100X8 GSF130X130X8 GSF150X150X8 GSF200X200X8	Steel Base Plate		CATCHER	Catcher to Bolt onto U-Post
	FT6	60x6000 Steel Floor Tracks		UB10050	U-Beam Support 100x50
	WV60 WV80 WV100	Gate Wheel External (Double Bearing)		ZB	Z Bracket
	W60 W80 W90 W100	Gate Wheel Internal (Double Bearing)		SNBB	Square Nylon Block and Aluminium C Channel Bracket Black
	PLC19R PLC2525 PLC5050 PLC2538	Flat Plastic Cap		ES04A	Adjustable End Stop with Nylon Rollers to Suit 50x50 to 75x75 Gate Frame
	AC5010 AC6516	Flat Aluminium Caps to suit 50x10x1.2 RHS or 65x16x1.2 RHS		RGB14A	40x150 Black Nylon Roller with Bracket
	DBH300 DBH500	Drop Bolt (16mm Pin)			GLASS FENCING, SPIGOTS, AND HINGES COMING SOON!



 **Vantage**